

# BRIGHTWELL

## Datasheet



### BrightLogic 2

The BrightLogic 2 is an on-premise laundry dosing system available in 2, 4, 6, 8 and 10 pump configurations.

The space-saving patented double pump head is easy to install and maintain thanks to the quick-tube-change configuration. Suitable for both intelligent and non-intelligent washing machines up to 35kg.



#### Technical Specifications

	2 Pump	4 Pump	6 Pump	8 Pump	10 Pump
<b>Dimensions (mm)</b>	285 x 190 x 166	266 x 285 x 166	266 x 425 x 166	266 x 565 x 166	266 x 705 x 166
<b>Weight</b>	2 kg	4 kg	5.5 kg	6.5 kg	8 kg
<b>Power</b>	36W	41W	71W	102W	113W
<b>Current</b>	0.4A (100V) - 0.14A (240V)	0.46A (100V) - 0.16A (240V)	0.8A (100V) - 0.27A (240V)	1.14A (100V) - 0.38mA (240V)	1.48A (100V) - 0.50A (240V)

#### Technical specifications

<b>Signal supply</b>	12-240V AC or DC, Opto-isolated
<b>Outputs</b>	Flush Valve 24V DC, 1.25A (10W) max Buzzer/Lamp 24V DC 500Ma, (10W) max
<b>Flowrate</b>	70ml - 285ml/min*



<b>Tube options</b>	Silicone BrightChem
<b>Motor</b>	Brushless 24V DC, 600mA
<b>Enclosure</b>	Polypropylene, IP45
<b>Installation kit</b>	Available on request
<b>Accessories</b>	Formula Select Module Manifold (4/6 way) Pump Modules Low Level Alarm Suction Wands
<b>Approvals</b>	CE, UL
<b>Warranty</b>	2 years

### In the box

Brightlogic Unit

Mounting Kit

Quickstart Guide

Formula Select (optional)

### Part Numbers

**WL1 - 10**

Brightlogic 2 Unit

\*flow rate with water and 6mm BrightChem tube

**BRIGHTWELL**

Brightwell Dosing Ltd  
Unit 1, Rich Industrial Estate  
Avis Way, Newhaven  
East Sussex, BN9 0DU

T: +44 (0)1273 513 566  
E: sales@brightwell.



